



## Dependable Quality Matchless)urability

Manufacturers of Hardened Self Tapping Metal Screw Stainless Steel Screw, Machine Screw, Stainless Steel Wood Screw






We offer quality products that meet the challenging industrial specifications and needs. These specifications are as per the clients requirements and at affordable prices. Our commitment to provide premium quality products to our valued clients has helped us to excel and achieve perfection. Being a quality conscious organization we procure our raw material from the most trusted vendors and ensure customer satisfaction at all levels and at any cost. Our quality check unit is well equipped and is manned by special professionals who scrutinies every production step very carefully and ensures that the product matches the set parameters. Our range of products are available in different weights and sizes and as per the requirement. We also provide customized products to our clients who demand give us exact specifications of their requirements.

We can proudly boast of a large, well equipped infrastructure, providing different divisions for manufacturing processes, warehousing, research & development and many more. The spacious warehousing division helps us to meet that bulk demand of our clients within the required time frame. Our research & development infrastructure helps us conduct newer methodologies, and experiment with innovative ideas. We indulge in market surveying to keep ourselves updated with industry standards and latest requirement. With the help of experts we have fabricated and developed products that are of high-quality and possess high end features. Owing to their features and wide usage our products speak for themselves and create a huge demand. Not being complacent we are planning to add more features to our products to make them more suitable and applicable to your needs and specifications.

'Mr. Pinakin Panchani' (Manager) is our mentor and guide, who has always been the source of inspiration for all of us.

### PRODUCT



#### MACHINE SCREW

Diameter Range: M4, 5/32, 3/16, 1/4, 5/16

Length : 13mm to 75mm Threads Type : BSW, MM Type

Material : Stainless Steel and Mild Steel (MS)

also as per Customer Requirements

Standard : DIN, ISO



ACCCC.

#### COMBINATION HEAD MACHINE SCREW

Diameter Range: M4, 5/32, 3/16 Length: 13mm to 50mm Threads Type: BSW, MM Type

Threads Type : BSW, MM Type
Material : Stainless Steel and Mild Steel [MS]

also as per customer Requirements

Standard : DIN-SS-7985, DIN-MS-7970, ISO





#### CSK SELF TAPPING S.S. SCREW

Diameter Range: 4# to 12#

Length : 13mm to 100mm Threads Type : [AB] type and [B] type

Material : Stainless Steel and also as per

customer Requirements

Standard : DIN, ISO

# DIN - 7982 DIN - 7972

#### PAN SELF TAPPING S.S. SCREW

Diameter Range: 4# to 12#

Length : 13mm to 100mm
Threads Type : [AB] type and (B) type

Material : Stainless Steel and also as per

customer Requirements

Standard : DIN, ISO



#### **CSK SELF TAPPING METAL SCREW**

Diameter Range: 2# to 12#

Length : 6.5mm to 100mm
Threads Type : (AB) Type and (B) Type
Material : Mild Steel (MS) and also

as per customer Requirements

Standard : DIN, ISO



#### PAN SELF TAPPING METAL SCREW

Diameter Range: 2# to 12#

Length : 6.5mm to 100mm
Threads Type : (AB) Type and (B) Type
Material : Mild Steel (MS) and also

as per customer Requirements

Standard : DIN, ISO



#### CSK S.S. WOOD SCREW

Diameter Range: 4# to 12#

Length : 13mm to 100mm

Threads Type : [AB] type

Material : Stainless Steel and also as per

customer Requirements

Standard : DIN, ISO





#### **DRYWALL SCREW**

Diameter Range: 3.5# to 4.2#
Length: 13mm to 75mm
Threads Type: (AB) type and (B) type

Material : Stainless Steel and Mild Steel (MS)

also as per Customer Requirements

Standard : DIN-7990, ISO



#### **HILUX SDS SCREW**

Diameter Range : 3.5# to 4.2#
Length : 13mm to 75mm
Threads Type : BSD Thread

Material : Mild Steel (MS) and also as per

**Customer Requirements** 

Standard : DIN-7504 P, ISO



#### **HEX HEAD SCREW**

Diameter Range : 4.2# to 6.3# Length : 25mm to 125mm Threads Type : BSD Thread

Material : Mild Steel (MS) and also as per

Customer Requirements

Standard : DIN-7504 K, ISO



#### PAN/TRUSH SDS SCREW

Diameter Range: 3.5# to 4.2# Length: 13mm to 75mm. Threads Type: BSD Thread

Material : Mild Steel (MS) and also as per

Customer Requirements

Standard : DIN-PAN-7504 N,

DIN-TRUSH-7504 T, ISO



#### S.S. CARRIAGE BOLT

Diameter Range: 6mm

Length : 38mm to 75mm Threads Type : (B) type

Material : Stainless Steel and Mild Steel (MS)

also as per Customer Requirements

Standard : DIN-SS-8677, DIN-MS-7969,

IS0





We understand the importance of quality and consider it as a very important link between us and our valued clients. To ensure that we remain connected to clients we take every step to ensure quality in every aspect. Our quality checks & controls division is very well developed and is installed with the latest technology. Such a well organised quality check set up helps us to offer flawless products and keeps our customers satisfied. Well qualified and highly trained quality inspectors are hired to supervise the entire quality check procedure.



Being a client-centric organisation, we attempt to satisfy our clients at all costs. We don't offer products randomly and plan each product as per the customer requirement and need. A well developed infrastructure installed with the latest technology helps us to offer quality products and maintain a satisfied clientele. Our stringent quality policy has earned us a lot of appreciation and trust from our customers. We use premium quality raw material procured from the most trusted sources to make sure that we match the standards our clients expect.



Pouch (100pcs.) and Plastic Box Packing & PVC Shrink Wrapper

Presenting
a smooth, shiny & strongest thing,
Which
is never break your feelings





Never smoother in the WOrld after the thing

Sharp Thread Sharp Point Pan Slot







Philips Pan



Combi. Head



CSK Slot



CSK Philips





## Venus Industries

M. +91 98254 34568, 99254 34568